
SYNOPSYS[®]

Fuzz Testing (Defensics)


Fuzz smarter. Remediate faster. Release safer.



building it.

Product overview

Synopsys Fuzz Testing (Defensics) is a comprehensive, powerful, and automated black box solution that enables organizations to effectively and efficiently discover and remediate security weaknesses in software. By taking a systematic and intelligent approach to negative testing, Synopsys Fuzz Testing allows organizations to ensure software security without compromising on product innovation, increasing time to market, or inflating operational costs.




Synopsys Fuzz Testing's logical user interface walks users through each step of the process, making advanced fuzz testing easy.

Key features

Intelligent fuzzing engine

The Defensics engine is programmed with knowledge on input type, whether it's an interface, protocol, or file format. Because the engine has a deep understanding of the rules that govern communication within the input type, it can deliver targeted test cases that exploit that input type's inherent security weaknesses. This intelligent and systematic approach to fuzz testing allows Synopsys to reduce testing time without compromising cost or security.



Synopsys Fuzz Testing reports contain message sequence logs to help users identify the root cause of an anomalous reaction.

Fusiooth Davice Name Defension	Contractor
Dautos/P Davis Address 001 mail 4c50 m7	Set dutteserable
avel divices	

Datawarid devices	
 Glob Lamb At: Fields test device RDDL - 04 Glob Lamb At: 50 11 Defension RDDL - 58 	
C 100 Le ab-Fillo di faetdevoel MSA -45	
Blustooth scan	
Paring with 30.46 (7) cdi 89-38 was 5478(2) etch27e31 (01 30(2) 7645)	s successful une exp
54782(1eb/07e8100)3622(764)5	128.0.8
121	
<u>[@]</u>	
<u></u>	
Ø	

Synopsys Fuzz Testing offers automated capabilities throughout the testing process, such as Defensics Device Explorer, to relieve users of the burden of manual configuration.

See the <u>full list</u> of unknown vulnerabilities Synopsys Fuzz Testing has discovered.

A comprehensive fuzzing solution

Our 250+ prebuilt, generational test suites ensure quick time to fuzz and relieve you of the burden of creating manual tests. We continuously update our test suites for new input types, specifications, and RFCs.

- Customize any of our test suites by fine-tuning the message sequence. The data sequence editor allows you to cover corner cases not within Synopsys Fuzz Testing's predefined scope.
- Need added extensibility? Use our template fuzzers. Universal Data Fuzzer (a file format template fuzzer) and Traffic Capture Fuzzer (a protocol template fuzzer) generate test cases by reverse engineering sample files you provide.
- Have proprietary or custom input types? Write your own test suites with Defensics SDK, which supports Java, Python, and selected transport layers and comes equipped with instrumentations.

Fits into most development life cycles

Synopsys Fuzz Testing contains workflows that enable it to fit almost any environment from a technological and process standpoint. Whether you employ a traditional SDL or a CI development life cycle, Synopsys brings fuzz testing into development early, allowing you to catch and remediate vulnerabilities more cost-effectively. Got an unconventional development life cycle? Our experienced Professional Services team can help you identify fuzz testing checkpoints, define fuzz testing metrics, and establish a fuzz testing maturity program.

It's not just about fitting into the development process; it's also about working with surrounding technologies. API and data export capabilities allow Synopsys Fuzz Testing to share data for additional reporting and analysis, making Synopsys Fuzz Testing a true plug-and-play fuzzer.

Detailed, data-rich reports for efficient remediation

- Contextualized logs. Remediation logs detail the protocol path and message sequences between Synopsys Fuzz Testing and the system under test (SUT) to help you identify the trigger and technical impact of each vulnerability.
- Vulnerability mapping. Synopsys Fuzz Testing maps each vulnerability to industry standards such as CWE and injection type to enhance information discovery and expedite remediation.
- Issue re-creation. Synopsys Fuzz Testing narrows the vulnerability trigger to a single test case so you can re-create the issue and verify the fix.
- Remediation packages. Generate encrypted remediation packages for your software suppliers to facilitate secure, collaborative remediation across the supply chain.

Scale fuzz testing with automation

From scanning for the test target to determining the number of layers to connect to, Synopsys Fuzz Testing offers a rich set of APIs for flexible, scalable automation to meet all your needs:

- Test single devices
- Set up repeatable automation to ensure test plans are followed every time
- · Reduce testing times with the latest in scalable virtualization

SYNOPSYS[®]

Fuzz Testing (Defensics) **Test Suite Catalog**

Authentication, Authorization, and Accounting (AAA)

- Diameter Client
- Diameter Server
- EAPOL Server
- Kerberos Server
- LDAPv3 Client
- LDAPv3 Server
- RADIUS Client
- RADIUS Server
- TACACS+ Client
- TACACS+ Server

Application

- FIX
- JSON Format
- Web Application
- WebSocket Client
- WebSocket Server
- XML SOAP Server
- XML SOAP Client
- XML File
- XMPP Server

Bus Technologies

- CAN Bus
- CAN FD

Cellular Core

- BICC / M3UA
- GRE
- GTP Prime
- GTPv0
- GTPv1 Client
- GTPv1 Server
- GTPv2-C Client
- GTPv2-C Server
- PMIPv6 Client
- PMIPv6 Server
- S1AP
- SCTP Client
- SCTP Server
- SMPP
- SMS (SMPP injection)

synopsys.com | 🎔 in f 🛗

- SMS (file injection)
- X2-AP

Core IP

- DHCP / BOOTP Client
- DHCP / BOOTP Server
- DHCPv6 Client
- DHCPv6 Server
- DNS Client
- DNS Server
- FTP Client
- FTP Server
- HTTP Client
- HTTP Server
- HTTP/2 Server
- ICAP Server
- IPv4 Package
 - ARP Client
 - ARP Server
 - ICMP
 - IGMP
 - IPv4
 - TCP Client for IPv4
 - TCP Server for IPv4
- IPv6 Package
 - ICMPv6
 - IPv6
 - TCP Client for IPv6
 - TCP Server for IPv6
- SOCKS Client
- SOCKS Server

Email

- IMAP4 Server
- MIME
- POP3 Server
- SMTP Client
- SMTP Server

General Purpose

- Traffic Capture Fuzzer
- Universal ASN.1 BER Server
- Universal Fuzzer

ICS

- 60870-5-104 (iec104) Client
- 60870-5-104 (iec104) Server
- 61850 / Goose / SV
- 61850 / MMS Client
- 61850 / MMS Server

- BACNET
- CIP Server

HL7v2 Server

• BFD

Metro Ethernet

• E-LMI (MEF-16)

• GARP (802.1D)

• LLDP (802.1AB)

OAM (802.3ah)

PBB-TE Server

(ESMC)

Public Key

CMPv2 Client

CMPv2 Server

• CSR

• CFM (802.1ag, Y.1731)

• Ethernet (802.3, 802.1Q)

Synchronous Ethernet

Infrastructure (PKI)

Remote Management

• CWMP (TR-69) ACS

• CWMP (TR-69) CPE

Netconf test suite

SNMPv2c Server

SNMPv3 Server

SSHv1 Server

SSHv2 Server

TFTP Server

Telnet Server

BGP4+ Client

BGP4+ Server

DVMRP Package

- DVMRPv1

- DVMRPv3

MPLS Server

Routing

IS-IS

• LDP

MSDP

NHRP

· OSPFv2

· OSPFv3

Syslog

IPMI Server

PCP Server

SNMP trap

- COAP
- DNP3 Client
- DNP3 Server
- MQTT Client
- MQTT Server
- Modbus Master
- Modbus PLC
- OPC UAC
- Profinet DCP
- Profinet PTCP ClientProfinet PTCP Server

Link Management

• STP / RSTP / MSTP / ESTP

- MPEG4 (M4A / MP4)

- Windows Media (WMA /

LACP (802.3ad)

Archives Package

- GZIP

- JAR

- ZIP

Audio Package

- MP3

- OGG

- WAV

- GIF

- JPEG

- PNG

- TIFF

- OGG

vCalendar

Medical

- vCard

DICOM Server

WMV)

• Video Package

- H.264 File Suite

- MPEG2-TS

- H.264 RTP Format

- MPEG4 (M4A / MP4)

- Windows Media (WMA /

WMV)

Images Package

Media

- Openflow controller
- Openflow switch
- PIM-SM/DM
- RIP
- RIPng
- RSVP
- TRILL Server
- VRRP

Storage

- CIFS / SMB Server
- DCE / RPC Server
- FCOE + FIP Client
- FCOE + FIP Server
- NFSv3 Server
- NFSv4.0/4.1 Server
- Netbios Server
- SMBv2 Client
- SMBv2 Server
- SMBv3 Client
- SMBv3 Server
- SunRPC Server
- iSCSI Client
- iSCSI Server

Time Synchronization • DTLS Server

- IEEE1588 PTP Client
- IEEE1588 PTP Server
- NTP Client
- NTP Server

VoIP

- H.323 Client
- H.323 Server
- MGCP Server
- MSRP Server
- RTP / RTCP / SRTP
- RTSP Client
- RTSP Server
- SIP UAC
- SIP UAS (+TT)
- SIP-I Server
- STUN Client
- STUN Server
- TURN Client
- TURN Server

VPN

• DTLS Client

Monitoring and engine capabilities

Instrumentation

- Valid case
- Syslog
- Agent
- SNMP
- Custom scripting at each testing execution

SafeGuard checkers

The Synopsys difference

For more information, go to www.synopsys.com/software.

01/30/19.ds-defensics-fuzztesting.

Amplification

Synopsys, Inc.

SYNOPSYS

Silicon to Software

185 Berry Street, Suite 6500

San Francisco, CA 94107 USA

Authentication bypass

- Blind LDAP injection
- Blind SQL injection
- Certificate validation
- Compressed signer's name in RRSIG record
- Cross-site request forgery
- Cross-site scripting
- Extra cookie compared to
- valid case
- Heartbleed
- Information leakage

optimize security and quality in DevSecOps and throughout the software development life cycle.

- Insufficient randomness
- LDAP injection in response
- Malformed HTTP

IKEv2 Server

IKEv2 Client

ISAKMP / IKEv1 Client

ISAKMP / IKEv1 Server

L2TPv2/v3 Server

L2TPv2/v3 Client

TLS / SSL Client 1.1

• TLS / SSL Client 1.2

TLS / SSL Server 1.1

TLS / SSL Server 1.2

X.509v3 Certificates

Bluetooth LE Package

- Advertisement

- ATT Client

- ATT Server

- HOGP Host

Wireless

OCSP Client

OCSP Server

SCEP

SSTP

IPSec

- Remote execution
- SQL injection in response
- Unexpected data
- Unprotected credentials
- Weak cryptography

Synopsys helps development teams build secure, high-quality software, minimizing risks while maximizing speed and productivity. Synopsys, a recognized leader in application security, provides static analysis, software composition analysis, and dynamic analysis solutions that enable teams to quickly find and fix vulnerabilities and defects in proprietary code, open source components, and application behavior. With a combination of industry-leading tools, services, and expertise, only Synopsys helps organizations

Anomaly categories

• ASN.1 / BER anomalies

U.S. Sales: 800 873 8193

©2019 Synopsys, Inc. All rights reserved. Synopsys is a trademark of Synopsys, Inc. in the United States and other countries. A list of Synopsys trademarks is

available at www.synopsys.com/copyright.html. All other names mentioned herein are trademarks or registered trademarks of their respective owners.

International Sales: +1 415.321.5237

Email: sig-info@synopsys.com

- Health
- Profiles
- SMP Client
- SMP Server
- Bluetooth Package
 - A2DP
 - AVRCP
 - BNEP
 - HDP
 - HFP-AG
 - HFP-Unit
 - HSP-AG
 - HSP-Unit
 - L2CAP
 - OBEX-Server
 - RFCOMM
 - SDP
- Wi-Fi AP Package
 - 802.11 WLAN AP
 - 802.11 WPA AP
 - WPA Enterprise
- Wi-Fi Client Package
 - 802.11 WLAN Client
 - 802.11 WPA Client
- Credential anomaliesDeep packet inspection

· EICAR antivirus test file

GTUBE (generic test for

· Control plane injection

anomalies

Integer anomalies

Overflow anomalies

· Underflow anomalies

unsolicited bulk email)

Network address anomalies